

Oldcastle Materials

Basic Quality Statistical Summary Report

Plant 465-Offsite
Product 2276-MI Class III
Specification Class III Sand Production

Sieve/Test	Tests	Average	Target	Specification
6" (150mm)	8	100.0		100-100
3" (75mm)	8	100.0		95-100
2" (50mm)	8	100.0		
1 1/2" (37.5mm)	8	100.0		
1" (25mm)	8	100.0		
3/4" (19mm)	8	100.0		
1/2" (12.5mm)	8	100.0		
3/8" (9.5mm)	8	100.0		
#4 (4.75mm)	8	100.0		
#8 (2.36mm)	8	100.0		
#16 (1.18mm)	8	99.6		
#30 (0.6mm)	8	97.6		
#50 (0.3mm)	8	83.2		
#100 (0.15mm)	8	45.6		
#200 (75um)	8	11.23		
PAN (0um)	8	0.00		
FM	8	0.74		
Wash Loss (#200/75um)	8	6.2		0-15